



Fully Automatic, Premium Fiber Cleaver



DESCRIPTION

The INNO Instrument V12 Precision Desktop Cleaver is a state-of-the-art tool, equipped with a robust alloy steel blade for optimal durability and performance. This advanced cleaver is features a fully automatic, self-activating scoring mechanism and an innovative blade rotation system, ensuring up to 2,500 precise cleaves per position with a total blade lifespan exceeding 60,000 cleaves.

Designed for versatility, the V12 comes with a built-in, automatic fiber shard collector, enhancing safety and cleanliness. The lid of the V12 is engineered to open at a 90-degree angle, greatly improving visibility and ease of use. Its magnetic universal holder (clamp) accommodates a broad spectrum of cables, including 250µm and 900µm fiber cables, flat cables, ribbon fibers, and jumper cables, making it an indispensable tool for a wide range of fiber optic applications.

TECHNICAL SPECIFICATIONS

Items	Specifications	
Model	V12	
Туре	Single fiber and Ribbon fiber	
Cladding Diameter	125 μm	
Cleaved Length	Single Fiber : 5mm ~ 24mm (Coating diameter ≤ 250μm), 10mm ~ 20mm (Coating diameter > 250μm) Ribbon (Multi) Fiber : 10mm	
Applicable Fiber Cable	Single Fiber : 160 μm to 900 μm, 2mm ~ 3mm and drop cable Ribbon (Multi) Fiber : 2 ~ 16 ribbon fibers	
Cleaved Angle (Typical)	Single Fiber : 0.5 °	
Typical Blade Life	Total 60,000 fiber cleaves (2,500 cleaves per each point, total 24 points)	
Holder	Universal holder, replaceable holder	
Weight	319g	
Dimension	103.5 L x 106.5 W x 55 H (mm)	
Operation Condition	Temperature: -10 to 50 °C / Humidity: 0 to 95%RH (non-dew)	
Storage Condition	Temperature: -40 to 80°C / Humidity: 0 to 95%RH (non-dew)	
Battery	Coin type Lithium battery CR	

STANDARD PACKAGE

Model/Part No.	Description	
CC-05	Cleaver Case	1ea
CB-02	Brush	1ea
CW-03	Hexagonal Wrench	1ea
CW-04	Flat-head Screwdriver	1ea
	Operation Manual	1ea
	Quality Report	1ea

OPTIONAL ACCESORIES

Model/Part No.	Description	
B-80	Cleaver Blade	1ea
CFH-40	Cleaver Holder	1ea

OVERVIEW



Height: 55mm Weight Width: 106.5mm 319q Depth: 103.5mm





(i) The Information on this catalog is subject to change without prior notice.



Copyright © 2023 INNO Instrument Inc. All rights reserved.